# UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# VATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR NPS	LISEO	NIV		
011 141 0	00.	***		
분위하하는 함께	회사 중 생활	机邻分级物		
RECEIVE	n			
HELLAF	4			
		1956年代表示的	1.194.714.71	

SEE		OW TO COMPLETE NATION		S		
1 NAME	IYPE ALL ENTRI	ES COMPLETE APPLICAE	SLE SECTIONS			
HISTORIC						
	Wabash Railroad S	tation and Freight Hous	e, Columbia			
AND/OR COMMON	Norfolk and Wester	rn Depot				
2 LOCATIO	N					
STREET & NUMBER						
OLTY TOWAL	126 N. 10th Street		NOT FOR PUBLICATION  CONGRESSIONAL DISTRICT			
CITY, TOWN	Columbia	VICINITY OF	#8 - Richard H.	Tchord		
STATE	МО	CODE 029	county Boone	CODE 019		
3 CLASSIFI						
CATEGORY	OWNERSHIP	STATUS	PRES	SENTUSE		
DISTRICT	_Хривыс	OCCUPIED	AGRICULTURE	MUSEUM		
X_BUILDING(S)	PRIVATE	X-UNOCCUPIED	_XCOMMERCIAL	PARK		
STRUCTURE	BOTH	WORK IN PROGRESS	EDUCATIONAL	PRIVATE RESIDENC		
SITE OBJECT	PUBLIC ACQUISI		ENTERTAINMENT			
_055201	IN PROCESSBEING CONSIDERED	X-YES: RESTRICTEDYES: UNRESTRICTED	GOVERNMENT INDUSTRIAL	SCIENTIFICTRANSPORTATION		
	DEING GONSIDERED	_NO	MILITARY	OTHER:		
4 OWNER C	F PROPERTY					
NAME	City of Columbia					
STREET & NUMBER	,					
	709 E. Broadway			·		
CITY, TOWN	Columbia	VICINITY OF	STATE MO 65	5201		
5 LOCATIO	N OF LEGAL DE	SCRIPTION				
COURTHOUSE. REGISTRY OF DEED	S FTC Poons Coun	ty Courthouse				
STREET & NUMBER						
0.777.703444	700 E. Wal	nut				
CITY, TOWN	Columbia		STATE MO (	55201		
6 REPRESE	NTATION IN EX	KISTING SURVEYS				
TÍTLE						
	Missouri S	tate Historical Survey				
DATE	1979	FEDERAL \$	LSTATE _COUNTY _LOCA	L		
DEPOSITORY FOR SURVEY RECORDS		of Natural Resources				
CITY, TOWN	P.O. Box 1	<u>Historic Preservation</u>	STATE			
	Jefferson			55102		

### CONDITION

X\_DETERIORATED

\_\_EXCELLENT \_XGOOD \_\_FAIR

X\_DETERIORATEI
\_\_RUINS
\_\_UNEXPOSED

### CHECK ONE

X\_UNALTERED
X\_ALTERED

### **CHECK ONE**

\_XORIGINAL SITE

\_\_MOVED DATE\_\_\_\_

## DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The Wabash Station is a one story, H plan, Jacobean style building. Built of rock-faced ashlar cut stone quarried locally, it sits on a stone and concrete foundation with a partial basement under the north end. Referred to in 1909 as a Tudor-Gothic design, the exterior has several important features, such as a 3 part gable roof with grooved, interlocking red clay tiles and its distinctive stone copings along the parapet walls, the two entrance porches, and the small circular, attic story windows of Tudor quality in the front and back of each gable end. (Photo 1)

The station can be entered on both the east and west sides through large double doors with transoms. The west entrance has a 13' x 15' portico which extends to the curb and served as added protection for those people arriving in hacks. On all three sides of the portico one can read "WABASH" carved in stone. (Photo2) Since the tracks are lower than the street and the floor of the building is harmonious with the the street entrance and level, the east entrance porch in front of the two double doors and the center projecting bay is designed as a wide uncovered concrete, U shaped, terrace with four steps leading down to the tracks. (Photo 3) On the projecting bay is the word "Columbia", with the 18" letters carved in stone. (Photo 4) Details of decorative stone work, roof tiles, and the brackets at the eaves can be seen in Photo 5.

Built to serve only as a passenger station, the interior construction and design lent itself to a more "home-like" atmosphere and was finished in mahogany woodwork with concrete floors. The ticket offices, with ticket windows still intact, are at the south end; the ladies waiting room, 18' x 17', and the restrooms are at the north end; and the large, 52' x 21', general waiting room with its 3' x 11' projecting bay is in the center. In the main room the ceiling is plastered. Four beams are exposed exemplifing King Post trussing with auxillary braces. Interior walls are plastered and painted. (Plan 1)

Costing approximately \$15,000 and measuring  $106' \times 27'$ , the building was constructed by Leonard Wolfe, St. Louis, and contains all the modern conveniences. It was heated by hot water; the heating plant and fuel storage tanks located in the partial basement.

Unlike most stations, there is no platform covering or extended eaves. A concrete platform was laid at the same time as the station was built. It was intentionally large and long as exemplified by this statement: "the platform will run along the east side and the north end of the building, allowing ample room for crowds..." Many improvements were made to the yards and tracks at this same time. Because of the new station's location and that of the freight house, a Y track was also implemented. This enabled the trains to back in, thus depositing passengers and freight at their appropriate destinations.

The Freight House, an important element in that it is the original depot, was built of tongue and groove frame construction and was a combination depot, serving both freight and passengers. (Photo 6) Lying just northeast of the new station, it measures approximately 90' x 26'. By converting this structure into the freight house and not tearing it down, the Railroad was able to maintain an office with adequate

FHR-8-300A (11/78)

> UNITED STATES DEPARTMENT OF THE INTERIOR HERITAGE CONSERVATION AND RECREATION SERVICE

# FOR HCRS USE ONLY RECEIVED DATE ENTERED.

# NATIONAL REGISTER OF HISTORIC PLACES **INVENTORY -- NOMINATION FORM**

WABASH RAILROAD STATION AND FREIGHT HOUSE, COLUMBIA

**CONTINUATION SHEET** 

ITEM NUMBER 7

PAGE 1

service during the construction of the new station. Even though is was altered to more favorably suit its new purpose a few of the old characteristic elements still remain, such as some of the original large sliding freight doors and the extended 6' overhang of the eaves with slightly decorative brackets. (Photo 7) The interior has concrete floors; walls and ceilings were originally covered with beveled wood siding, but much of this has been removed, leaving the framing exposed. There is electicity to the building but no heating or plumbing.

These two buildings are located in the urban setting just a few blocks from the heart of downtown Columbia and are surrounded by a mixture of other buildings, such as churches, businesses, and a few remaining residences. To be noted is the First Christian Church, built 1892, just across 10th St. from the station. This building, also of native stone, gives a visual coherence to the area. (Photo 8)

### FOOTNOTES:

- "Plans Here for Wabash Station," <u>Columbia Tribune</u>, May 14, 1909, p. 1. "Up Goes New Depot," <u>University Missourian</u>, Oct. 13, 1909, p.4. ì.
- 2.
- "Writes of New Station," Columbia Tribune, May 24, 1909, p.1. 3. "Dirt Broken For Wabash Station," Columbia Daily Tribune, July 27, 1909, p.1. 4.
- 5. Ibid., p.1.
- 6. Ibid., p.1.

ITEM NUMBER 8

PAGE 1

### FOOTNOTES:

- "New Wabash Station Promised," <u>Columbia Missouri Herald</u>, April 23, 1909, p.1.
   "Plans Here For Wabash Station," <u>Columbia Tribune</u>, May 14, 1909, p.1.
   Federal Register, Vol. 44, No. 26, Tuesday, February 6, 1979.

		• • •		
PERIOD	∨ AF	REAS OF SIGNIFICANCE CH	ECK AND JUSTIFY BELOW	
PREHISTORIC	ARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	_LANDSCAPE ARCHITECTURE	RELIGION
_1400-1499	ARCHEOLOGY-HISTORIC	CONSERVATION	_LAW	_SCIENCE
_1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	SCULPTURE
_1600-1699	_XARCHITECTURE	EDUCATION	MILITARY	SOCIAL/HUMANITARIAN
_1700-1799	ART	ENGINEERING	_MUSIC	THEATER
_1800-1899	_XCOMMERCE	_EXPLORATION/SETTLEMENT	PHILOSOPHY	_TRANSPORTATION
X1900-	COMMUNICATIONS	INDUSTRY	POLITICS/GOVERNMENT	OTHER (SPECIFY)
		INVENTION	· · · · · · · · · · · · · · · · · · ·	
**************************************	<del>~~~~~~~~~</del>	<del>, ,, , , , , , , , , , , , , , , , , ,</del>	<del></del>	
	1000 1010		Language that &	

SPECIFIC DATES 1909 - 1910

BUILDER/ARCHITECT

Leonard Wolfe

### STATEMENT OF SIGNIFICANCE

The Wabash Station and Frieght House served as a gateway to the city and played an integral part in the growth of Columbia. Mr. Miller, V.P. and General Manager of the Wabash Railroad, expressed this same view when he announced the construction of a new station, "The Wabash Railroad is proud of the magnificant progress which Columbia is making and we want to contribute our full share, for the interest of the city and the road are inseparable." This station was built at a time when Columbia was experiencing rapid growth, with almost all of the material goods, new business, and its growing population arriving daily by train. Under construction from August 1909 until July 1910, the station, in style and finish, is "different from anything the Wabash has on its entire system and will be a building that will grace a town of Columbia's size.".

Opening for business on Saturday, July 16, 1910, the station is evidence of the close connection of "town and gown". Many of the passengers arriving on the Wabash were connected with the University, either as students and staff or as the interested public from throughout the state attending short courses and conventions offered at the University. his association is visible as well in the very design of the station; in almost every report writers mention the Tudor-Gothic design equating it with the new White Campus wildings. This style of architecture, using native stone, can be evidenced on other olumbia buildings, exemplifying the important relationship between the city and the niversity. Unfortunately, most of these structures, such as the Broadway Methodist hurch and the Campus View Apartments, have been destroyed; therefore, enhancing the need o retain the station.

he Wabash continued to serve Columbia until 1964 when it merged with the Norfolk and estern and that name is now used. The very fact that the station has been in uninterespeted use and of continued service to the city makes it an important landmark for olumbia.

ne City Council, realizing the significance of this station to the historic preservation seds of the city, recently negotiated with the Railroad for the purchase of seven acres including the station, freight house, and track area. During this procedure and on reserve to the ICC, the station and freight house were determined eligible for the National sister of Historic Places in accordance with 36CFR part 63. The track area is deemed or parking space, but as yet no final decision has been made as to the use of the station and/or the freight house. A public hearing was held to receive recommendations; me of the considerations are a terminal for city transit services, an educational cility, a museum, leased office space, etc. The City Planning and Zoning Commission, e Columbia Art League, and others have worked closely in this cooperative effort for storic preservation.

<ol> <li>"Dirt Broken for Wa</li> <li>Federal Register, V</li> <li>"Here's New Wabash</li> <li>Memo, Planning and</li> </ol>	e Branch," <u>Columbia</u> bash Station," <u>Col</u> ol. 44, No. 26, Tue Station," <u>Universi</u> Zoning Commission, ere," <u>University</u> M	umbia Daily Tr sday, Pebruary ty Missourian, May 20, 1977,	ribune, July 27, 6, 1979 May 19, 1909, p	.1.
10 GEOGRAPHICAL				
ACREAGE OF NOMINATED PRO		<u>c</u> re		
QUADRANGLE NAMEC UTM REFERENCES A 1 1 5 5 5 8 4 10 1 ZONE EASTING C			STING STATE	1,16,4,0
EL   L   L   L   L   L   L   L   L   L		FLil L		
GLJ LJJJ		н	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
parts of the Ash Street Railroad, the boundary and precedes N along sa LISTALL STATES AN	right-of-way, and begins at a point lid curb 140, then ID COUNTIES FOR PROPER	th Old Town, C within the 7 a 5'S of the St turns E runnin TIES OVERLAPPING	olumbia, lots 29 cre tract purcha ation along the 50' continuing STATEOR COUNTY BO	l, 341, 350 and sed from the E curb of 10th St g along a NE line PUNDARIES
STATE	CODE.	COUNTY		CODE
STATE	CODE	COUNTY		CODE
11 FORM PREPARE  NAME / TITLE  1. Linda Harp  ORGANIZATION  Columbia A	er	\	DATE 6~79	
STREET & NUMBER	· · · · · · · · · · · · · · · · · · ·		TELEPHONE	
12 N. 10th	St.		STATE	
city or town Columbia			(= -:M0\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	01
THE EVA	C PRESERVATIO		CERTIFICATION	
NATIONAL	STA	TE	LOCAL X	
As the designated State Historic hereby nominate this property criteria and procedures set forth	for inclusion in the National by the National Park Service	Register and certify	servation Act of 1966 (P that it has been evaluat	ublic Law 89-665). I ed according to the
STATE HISTORIC PRESERVATION	OFFICER SIGNATURE		out out the fi	
State Histori	artment of Natural c Preservation Office	Resources and	DATE	
FOR NPS USE ONLY I HERÉBY CERTIFY THAT TH				
KEEPER OF THE NATION	IAL REGISTER		, DATE	
ATTEST:		• •	DATE	
CHIEF OF REGISTRATION	1			

9 MAJOR BIBLIOGRAPHICAL REFERENCES

FHR-8-300A (11/78)

**CONTINUATION SHEET** 

UNITED STATES DEPARTMENT OF THE INTERIOR HERITAGE CONSERVATION AND RECREATION SERVICE

# FOR HCRS USE ONLY RECEIVED DATE ENTERED.

**PAGE** 

# NATIONAL REGISTER OF HISTORIC PLACES **INVENTORY -- NOMINATION FORM**

WABASH RAILROAD STATION AND FREIGHT HOUSE, COLUMBIA

**ITEM NUMBER** 

"New Wabash Station Promised," <u>Columbia Missouri Herald</u>, April 23, 1909, p.1. "Plans Here for Wabash Station," <u>Columbia Tribune</u>, May 14, 1909, p.1. 7.

8.

"Suggestions Flowing on City Use of Depot," Columbia Tribune, June 24, 1977.
"Up Goes New Depot," University Missourian, October 13, 1909, p.4. 9. 10.

"Writes of New Station," Columbia Tribune, May 24, 1909, p.1. 11.

### ITEM NUMBER 10 PAGE 1


which parallels the Freight House 140', continuing on a SE line which parallels the Freight House approximately 50' to the E edge of the concrete platform, then on a line SW along the edge of said platform to a point 15' S of the Station's S facade, then W on a line approximately 40' to the beginning point.

### ITEM NUMBER 11 PAGE 1


2. James M. Denny, State Contact Person Section Chief, Nominations-Survey Department of Natural Resources Office of Historic Preservation P.O. Box 176 Jefferson City

314/751-4096

65102 Missouri



FLOOR PLAN WABASH RAILROAD STATION COLUMBIA, MISSOURI



# WABASH RAILROAD STATION & FREIGHT HOUSE

Boone COUNTY: Columbia LOCATION: City of Columbia 709 E. Broadway Columbia, Mo.

OWNER: ADDRESS:

July 20, 1979

DATE APPROVED BY A.C.:

August 16, 1979

August 20, 1979

October 11, 1979 DATE PLACED ON NATIONAL REGISTER:

DATE OF REC. IN D.C.:

DATE SENT TO D.C.:

Given to Pat Steele: July 12, 1983 Presented: DATE CERTIFICATE AWARDED (AND PRESENTOR):

DATE FILE REVIEWED:

contribute our full share, for the interest of the city and the road are inseparable." This station was built at a time when Columbia was experiencing rapid growth, with almost all of the material goods, new business, and its growing population arriving daily by train. Under construction from August, 1909 until July 1910, the station, in style and finish, is The Wabash Station and Freight House served as a gateway to the city and played an integral part in the growth of Columbia. Mr. Miller, V.P. and General Manager of the Wabash Railroad, expressed this same view when he ammounced the construction of a new station, "The Wabash Railroad is proud of the magnificant progress which Columbia is making and we want to "different from anything the Wabash has on its entire system and will be a building that will grace a town of Columbia's size.".







